

PRINTER RUSH

(PTO ASSISTANCE)

Queen Check HK

Application : 09/702293

Examiner : ltan

GAU : 2665

From : CA

Location: IDC (FMF) FDC

Date: 9/29/05

Tracking #: _____

Week Date: _____

①

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input checked="" type="checkbox"/> SPEC	<u>10/30/00</u>	

[RUSH] MESSAGE: Brief Description: The specification fails to
Cite Figure 4 panel in the drawings dated 10/30/00
I please resolve.
Thank You
(CA)

[XRUSH] RESPONSE: _____
with authorization from attorney,
examiner's amendment is done

INITIALS: C.H.

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04